

US COMPUTERS, INC.

Established in 1997, a Disadvantaged, Woman-Owned, Small Business



U S Computers, Inc., a long time dealer of Right Angle Products offers its entire line of customized furniture and related products for schools, classroom, meetings and conference rooms.

US Computers, Inc.

PHONE (800) 550-8783: FAX (714) 528-0530

INFO@USCOMPUTERSINC.COM

**181 WEST ORANGETHORPE AVE SUITE C
PLACENTIA, CA 92870**

Radiology Workstation (PACS)



30" x 47½" x 31" x 47½" x 30" (standard foot)		
NXTBS30484830Z0091	Base	\$5,148
WS2K30727230RZ0165	Worksurface	\$1,903
301SW	Split Mechanism	\$572
TOTAL		\$7,623
30" x 47½" x 42½" x 47½" x 30" (standard foot)		
NXTBS30484830Z0091	Base	\$5,148
WS2K30808030RZ0167	Worksurface	\$2,120
301SW-39	Split Mechanism	\$572
TOTAL		\$7,840
Options		
FCATBBB	Alpha Swivel Chair	\$436
HS1121	Hover Monitor Arm	\$379
Wire Management Box Assembly		
XWMB36	36" black or silver	\$199
XWMB48	48" black or silver	\$245

Featuring: Elegante XT Height Adjustable Table, Hover Monitor Arms and Alpha Swivel Chair

A high level of ergonomics and adjustability is vital for staying productive over the course of a long day and at RightAngle we set the standard. We are your partner for healthcare furniture.



RightAngle Ergonomic Products
800.298.4351 | raproducts.com



Helium

ra ergonomics

Helium Surface

- Comes **completely assembled** and requires no tools for installation
- Compact footprint, easily fits onto a 24" deep desk
- **Gas assisted height adjustment**, quiet and infinite height positioning through 13.8"
- A large primary work surface can be extended 20" above the desk
- The primary work surface is large enough to fit two x 24" monitors, an Apple iMac®, a monitor arm or a laptop
- Grommet mount opening on the primary work surface allows for cable management or mounting a monitor arm
- 20° (-10°/+10°) of keyboard ergonomic tilt
- Tested to 15,000 cycles
- Capacity: 35 lbs.
- Weight: 40 lbs.
- Two year warranty



Available Colors:



Black



White



HOVER^{SERIES}2

ra ergonomics






Media Series - HSTVMNT

- This universal monitor/TV assembly is perfect for large collaboration screens.
- Supports up to a 52" monitor.
- Up to 400 x 400 VESA mounting plate, which provides secure and attractive mounting.
- Stylish ultra slim ergonomic design with cable management.
- Swivel movement and easy height adjustment.
- Universal mounting system.
- All related hardware is included.
- Maximum monitor weight: 60 pounds



NewHeights™ Elegante XT Conference Table
Alpha Black Swivel Task Chair - FCATBBB





FREE FREIGHT on all
ergonomics



Code #EH0817 • ©2017 RightAngle Products • 800.298.4351 • raproducts.com

Helium





Helium Jr. - Single Monitor Mount

Transform your traditional desk into a sit-stand workstation.

- Easily adjust height and swivel to keep your workspace comfortable all day long.
- Adjustable keyboard and monitor arm which remains stable while typing.
- Clamp or grommet mount, maximum worksurface thickness 1¾".
- VESA mounting plate and column wire management included.
- Minimal footprint.
- Maximum monitor weight: 24 pounds
- Travel Range: 16". Monitor travel range: 5".
- Five year warranty.



Helium Jr. Single
Model HSSWCSSB



Helium




Helium Jr. - Dual Monitor Mount

Transform your traditional desk into a sit-stand workstation.

- Easily adjust height and swivel to keep your workspace comfortable all day long.
- Adjustable keyboard and monitor arm which remains stable while typing.
- Clamp or grommet mount, maximum worksurface thickness 1 $\frac{3}{4}$ ".
- VESA mounting plate and column wire management included.
- Minimal footprint.
- Maximum monitor weight: 24 pounds
- Travel Range: 16".
Monitor travel range: 5".
- Dual Monitor Maximum Width: 24" from left to right.
- Five year warranty.



Helium Jr. Dual
Model HSSWCDSB





NewHeights™ Elegante XT
Conference Table
Alpha Black Swivel
Task Chair – FCATBBB
Shown with HSTVMNT



Hover Series 2 Features

- Post and spring systems available in multiple post height, (may order components separately).
- Swift movement with easy adjustment.
- Universal mounting system; no need to specify grommet or clamp.
- Wide angle and height range for comfortable viewing position.
- 360° pivot/105° tilt.
- Built-in internal cable management: cables route neatly under arm.
- Grommet hole dimensions: minimum 3/4", maximum 3" .
- Grommet adjusts to table-top thickness of 7/8" to 1 1/2" .
- Clamp adjusts to table-top thickness up to 2" .

- Clamp depth 3 1/4" - 2 1/2" , at 2 1/2" the entire clamp will not be under the desk.
- Weight-load: 22lbs./monitor.
- Quick release mechanism: easy install and removal of monitor and arm.
- Increase or decrease tension with built-in tool.
- Wall Mount: 240° swivel; all other models 360° swivel.
- Four piece 100mm x 200mm, adaptor available.
- Pole diameter is 1.295"



XLH10518B - Laptop Platform



Standard Monitor Bracket
VESA MIS-D
75x75/100x100mm



Apple LED Display Mount
(Will not work with Apple All in one units) Model #52914



Universal Mount



Quick-Release Wall Mount Bracket



Built-in Tool Bracket/
Cable Management



Built-in Cable Management



Quick-Release Joint



- Stylish ergonomic design.
- Built in internal cable management.
- Quick-release mechanism for easy install.
- Universal base may be used as clamp or grommet mount.



HOVER SERIES 2

Wall Mount QuickShip






- Bracket dimension: 6" tall, 2 5/8" wide

Post System QuickShip






Spring System *QuickShip*




- Minimum monitor weight: 4 lbs.

Rail Mounted System





Rail Back


Mounted Multiple LCD's




- Maximum monitor width: 17 1/2"



- Maximum monitor width: 20"
- Maximum monitor width: 36"




- Maximum monitor height: 19"




- Maximum monitor height: 21"



- Maximum monitor height: 22"



- Maximum monitor width: 19"
- Maximum monitor height: 15"
- 88 lbs. maximum combined weight-load



- Maximum monitor width: 36"
- Maximum monitor height: 15"
- 88 lbs. maximum combined weight-load

HOVER

Gas Monitor Arm



Hover Gas Monitor Arm, Heavy Duty, Dual Screen

The Hover gas monitor arm incorporates a **gas counterbalance spring** to provide a greater support adjustment range, allowing heavier monitors to be supported on the arms, yet still being easy to move and adjust, coupled with superior esthetics and clean elegant lines, it is truly in a class of its own.









HSGHDW
White

HSGHDS
Silver



Features	Benefits
Comes standard with clamp and grommet mount to fit most desks	Provides dual mounting options to fit various desk sizes, and tool-less clamp allows for quick efficient set-up
Adjustable counterbalance cylinder provides smooth fingertip control for screen height adjustment	Provides 14½" of counterbalanced height adjustment - 6 lbs. to 28 lbs. weight capacity
Double extension arms provide a maximum of 30.8" extension from rear of desk to VESA plate	For greater monitor focal depth adjustment on deep or corner workstations
Monitor mounting bracket with Quick Connect adaptor contains 75mm and 100mm hole patterns	VESA compliant to match most monitor mounting patterns
Arms fold back to a minimum of 8 3/8" from rear of work surface to VESA Plate	Allows for screen adjustment to correct focal depth on short desking surfaces
Weight gauge incorporated into height adjustable arm	Saves time and guesswork when installing screens, especially for multiple arm installations
VESA plate rotates for portrait and landscape viewing with 180° rotation & -90° to + 45° tilt adjustment	Ample adjustment for optimal viewing of monitor
Support beam holds dual monitors with a maximum of 24" (diagonal) at fixed 25° booking angle	Allows for supporting large dual monitors at a comfortable viewing angles
Adjustable rotation limiter restricts arm rotation to 180°	Prevents fixed arm from contacting walls or panels
Aluminum die cast construction	Provides greater stability and contains high recycled material content and is fully recyclable
Comes with all tools and mounting hardware	Quick and easy installation

Max Monitor Size: 24"
Max Frame Width: 23"



Clamp adjustment range: 7/8" to 1-1/2"

Arm Colors



HSGHDW
White



HSGHDS
Silver



Cable Management



Weight Gauge



Height Adjustable



Base Clamp or
Grommet Mount



VESA Compliant



Cable Management



HOVER

Gas Monitor Arm



Hover Gas Monitor Arm, Light Duty, Single Screen



The Hover gas monitor arm incorporates a **gas counterbalance spring** to provide a greater support adjustment range, allowing heavier monitors to be supported on the arms, yet still being easy to move and adjust, coupled with superior esthetics and clean elegant lines, it is truly in a class of its own.




HSGLSS
Silver

HSGLSW
White

Features	Benefits
Comes standard with clamp and grommet mount to fit most desks	Allows for the attachment to all desk surfaces, and tool-less clamp allows for quick efficient set-up
Adjustable counterbalance cylinder provides smooth fingertip control for screen height adjustment	Provides 14½" of counterbalanced height adjustment - 5 lbs. to 20 lbs. weight capacity
Double extension arms provide a maximum of 26.7" extension from rear of desk to VESA plate	For greater monitor focal depth adjustment on deep or corner workstations
Monitor mounting bracket with Quick Connect adaptor contains 75mm and 100mm hole patterns	VESA compliant to match most monitor mounting patterns
Arms fold back to a minimum of 4½" from rear of work surface to VESA Plate	Allows for screen adjustment to correct focal depth on short desk surfaces
Weight gauge incorporated into height adjustable arm	Saves time and guesswork when installing screens, especially for multiple arm installations
VESA plate rotates for portrait and landscape viewing with 180° rotation & -90° to + 45° tilt adjustment	Ample adjustment for optimal viewing of monitor
Adjustable rotation limiter restricts arm rotation to 180°	Prevents fixed arm from contacting walls or panels
Aluminum die cast construction	Provides greater stability and contains high recycled material content and is fully recyclable
Comes with all tools and mounting hardware	Quick and easy installation



Arm Colors





HSGLSW
White



HSGLSS
Silver

==



Cable Management



Weight Gauge



Height Adjustable



Base Clamp or
Grommet Mount



VESA Compliant



Cable Management

HOVER^{SERIES}2

ra ergonomics






Hover Monitor Rail - Four Single Monitors, HSCQ14

Features

- Supports a 20 pound load capacity (per screen)
- Grommet adjustable to fit most desks and work surfaces
- Monitor mounting bracket, with Quick-Connect, contains 75mm and 100mm hole patterns to comply with VESA standards
- Pole allows manual height adjustment through 16" range
- Allows for a maximum 20 pound monitor per arm and a maximum 21" screen width
- 48" wide beam

Available Colors:





Available Colors:



Helium



Helium Desk Top Base Dual Monitor

- Effortless sit-to-stand functionality with clean design
- Innovative gas/counterbalance mechanism which locks into position for stability
- Quickly and easily adapts to changing height adjustable preferences
- Column wire management included
- Height adjustable monitor bracket includes VESA mounting plate
- No clamp or grommet needed
- Heavy steel base for stability
- Maximum Lifting Capacity: 12-30 pounds
- Works in corner applications
- Travel Range: 16"
- Tilts/turns 90°
- Product Weight: 47 lbs.
- Five year warranty

MADE IN THE
USA



-20° from vertical


20° from vertical

Side View Extended

Monitor holder is adjustable up or down on the column


Maximum monitor width: 25"

Adjustable




Dimensions are from main platform to the center line of the monitor holder. The monitor holder will tilt back 20 degrees from vertical in both directions within limits of your monitor's height. Large monitors may hit the column.


16" Travel Range




Bottom View



Top View



Back View



Side View Retracted

HOVER

SERIES WM

 healthcare



HOVER WM Wall Mount Value System

The entire system folds back to the wall to save space when not in use.




Features:

- Wall mount system
- Foldable keyboard tray
- Height and tilt adjustment for screen and keyboard
- Torque adjust for tilt and arm height adjustment
- Optional inside wall track with cable management



SPECIFICATIONS


VESA Mounting Pattern	100 X 100 / 75 X 75 mm
Material	Steel / Plastic / Aluminum
Dimension (W*H*D)	37.64" x 36.46" x 13.11"
Weight (Net)	20.42 lbs.
Swivel (Hinge)	+/- 90°
Tilt (Hinge)	-5 ~ 35°
Tilt (Arm)	+ 65° / - 30°
Tilt (Keyboard)	0 ~ 90°
Support Weight (Stand)	4.4 ~ 17.7 lbs.
Support Weight (Keyboard)	5.6 lbs.
Support Flat Panel Size	≤ 24"
Rotate (Pivot)	360°
Extended Arm Provided	One
Height Adjustment Range (Stand/Arm)	4.88" / 17.27"
Max. Working Space	449*207mm for keyboard



Optional Wall Track



HWMVR34
Rail / Cable
Management (34")




Screen



Hinge Tilt




Cable
Management




Torque
Adjustment



Height Adjust



Arm Tilt



Keyboard Tilt



USCI COMPUTERS, INC.

EXPERIENCE THE PROFICIENCY OF OUR
SERVICE TODAY



Established in 1997. A Certified Small Business with State of California

Our Contracts ensures that government agencies can purchase our products and services with confidence and assurance that we are a reliable company offering our goods and services at competitive prices. approved by GSA and CMAS

Woman-owned, disadvantaged, small business

US Computers, Inc.

(800) 550-8783